as enclosed to IPER

5

10

## We claim:-

- 1. A composition for the treatment of metal or plastics surfaces, comprising
  - a) at least one polymer as component A, comprising at least one structural unit of the formula (I)

15

where this structural unit may be part of a polymer main chain or may be bound to a polymer main chain via an anchor group, and

M is hydrogen or a metal cation;

20

- b) water or another solvent which is suitable for dissolving, dispersing, suspending or emulsifying the polymer (component A), as component B;
- c) if required, surface-active compounds, dispersants, suspending media and/or emulsifiers as component C;

25 either

- d) if required, a salt, an acid or a base based on transition metal cations, transition metal oxoanions, fluorometallates or lanthanoids as component D, and/or
- 30
- e) at least one acid selected from the group consisting of phosphoric acid, sulfuric acid, sulfonic acid, nitric acid, hydrofluoric acid and hydrochloric

acid as component E, or a base selected from the group consisting of alkali metal and alkaline earth metal hydroxides and ammonia solution

and/or

5

- f) at least one metal oxide and/or metal salt as component F.
- 2. A composition as claimed in claim 1, wherein the weight average molecular weight of the polymer (component A) is greater than 500 g/mol.
- 3. A composition as claimed in claim 1 or 2, wherein the polymer (component A) contains one or more repeating units of the formulae (II), (III) and/or (IV), and/or one or two terminal groups of the formula (V), and, if required, further units of the formula (VI)

where

R

is hydrogen or any desired substituted or unsubstituted organic

radical

R\*

is hydrogen or -CH2-CO2M

M

is hydrogen or an ammonium or metal cation

Polymer

is any desired polymer which is suitable for binding the structural

unit defined in formula (V).

10

5

- 4. A composition as claimed in any of claims 1 to 3 for the surface treatment of metals, comprising, in addition to the components A, B and, if required, C, and D and/or E,
- 15 g) at least one corrosion inhibitor as component G, and/or
  - h) compounds of Ce, Ni, Co, V, Fe, Zn, Zr, Ca, Mn, Mo, W, Cr and/or Bi as component H,

and/or

20 i) further assistants and additives as component I.

- 5. A composition as claimed in any of claims 1 to 4 for the deposition of metals or metal alloys on metal surfaces or plastics surfaces, comprising, in addition to the components A, B and, if required, C, and F,
  - j) if required, at least one acid or one alkali metal salt or alkaline metal earth salt of the corresponding acid as component J and/or
  - k) if required, further additives as component K.
- 6. A process for the surface treatment of metals, wherein the metal surface is brought into contact with the composition as claimed in any of claims 1 to 4.
- 7. A process as claimed in claim 6, comprising the steps:
  a) if required, cleaning of the metal surface for removal of oils, greases and dirt,
  - b) if required, washing with water,
    c) if required, pickling in order to remove rust or other oxides, in the presence or
  - absence of the polymer (component A) used according to the invention,
  - d) if required, washing with water,
  - c) treatment of the metal surface in the presence of the composition as claimed in any of claims 1 to 4,
  - f) if required, washing with water,
  - g) if required, aftertreatment.
- A process for depositing metals or metal alloys on a metal surface or plastics surface, wherein the metal surface or plastics surface is brought into contact with a polymer (component A), comprising at least one structural unit of the formula (I)

where this structural unit may be a part of the polymer main chain or may be bound to the polymer main chain by an anchor group, and

5

10

15

20

M is hydrogen or an ammonium or metal cation.

5

- 9. A process as claimed in claim 8, wherein the plastics surface is brought into contact with a composition as claimed in any of claims 1 to 3 or 5.
- 10. A process as claimed in claim 8 or 9, wherein a chemical or electrochemical metal deposition is carried out.
- The use of the composition as claimed in any of claims 1 to 4 for surface treatment of metals in applications, wherein corrosion of metal surfaces is a problem.

## 12. The use of a polymer comprising at least one structural unit of the formula (I)

5

where this structural unit may be a part of the polymer main chain or may be bound to a polymer main chain via an anchor group, and

M is hydrogen or an ammonium or metal cation,

10

as a complexing agent in the deposition of metals or metal alloys on metal surfaces or plastics surfaces.